

PRICE LIST

Master Clocks and Impulse Dials up to 24" diameter shown in this price list are chargeable with 25% purchase tax.

Synchronome-Mainpulse Synchronous Clocks are chargeable with 22% purchase tax.

Time recorders + 12½%. Nov. 13th 1951

THE SYNCHRONOME CO. LTD.

ABBEY ELECTRIC CLOCK WORKS

Woodside Place - Mount Pleasant

ALPERTON

MIDDLESEX

Telephone: WEMbley 3643-4-5

MASTER CLOCKS

STANDARD TYPE		£	s.	d.
Half-minute impulse with pendulum of seconds beat and 7" Silvered dial in Polished Oak or Mahogany case		36	10	0
STANDARD TYPE		£	s.	d.
As above, but without dial		32	5	0
STANDARD TYPE		£	s.	d.
Movement only with pendulum and fittings but without case or dial		30	17	6
STANDARD TYPE		£	s.	d.
Transmitting half-minute impulses and seconds impulses with pendulum of seconds beat and 7" Silvered dial having inset seconds hand, all in Polished Oak or Mahogany case ..		61	12	6
SPECIAL TYPES		Prices on application		
Frequency Controllers	}			
Grid Metering Master Clocks				
Meters Act Master Clock				

CLOCKS, etc., DETAILED IN CATALOGUE E.I.50

Type		Single-faced		Double-faced with tubular suspension rod up to 30" long with ceiling plate	
		£	s. d.	£	s. d.
Type A	8"	7	19 6	19	18 9
	10"	8	12 6	21	11 3
	12"	9	2 6	22	16 3
	18"	14	0 0	35	0 0
	24"	22	1 0	55	2 6
Type B	6"	11	12 6	29	1 3
	8"	13	0 0	32	10 0
	10"	14	7 6	35	18 9
	12"	16	2 6	40	6 3
	18"	27	17 6	69	13 9

CLOCKS, etc., DETAILED IN CATALOGUE E.I.50

Type				Single-faced			Double-faced with tubular suspension rod up to 30" long with ceiling plate				
				£ s. d.			£ s. d.				
Type A/I	..	..	..	6"	..	7	10	0			
				8"	..	8	3	6			
				10"	..	9	7	6			
				12"	..	10	5	9			
				18"	..	18	6	6			
				24"	..	27	0	0			
Type B/I	..	..	..	6"	..	9	7	6			
				8"	..	10	12	3			
				10"	..	12	4	6			
				12"	..	13	3	0			
				18"	..	23	6	0			
Type B.B.C.	..	..	..	8"	..	8	3	6			
				10"	..	9	7	6			
				12"	..	10	5	9			
				18"	..	18	6	6			
Type C ..	..	..	..	12"	..	5	15	6	14	8	9
				18"	..	10	15	0	26	17	6
				24"	..	17	12	0	44	0	0
Type C.M.	..	..	..	12"	..	13	15	0			
				18"	..	17	12	6			
				24"	..	25	7	6			
				30"	..	36	0	0			
Type D.A. & D.R.	..	..	..	Single			Double-sided				
				6"	..	4	19	6	12	10	0
				8"	..	5	2	0	12	15	3
				10"	..	5	7	0	13	7	0
				12"	..	5	13	0	14	2	6
				18"	..	8	18	0	22	3	6
				24"	..	17	12	6	38	5	0
Type D.M.	..	..	..	6"	..	4	19	6	12	10	0
				8"	..	5	2	0	12	15	3
				10"	..	5	7	0	13	7	0
				12"	..	5	13	0	14	2	6
				18"	..	8	18	0	22	3	6
				24"	..	17	12	6	38	5	0
Type E.A.	..	..	..	6"	..	4	7	6	10	18	9
				9"	..	4	19	6	12	8	9
				12"	..	5	8	0	13	10	0
Type E.R.	..	..	..	6"	..	4	7	6	10	18	9
				9"	..	4	19	6	12	8	9
				12"	..	5	8	0	13	10	0
Type F ..	..	..	..	8"	..	4	17	6	12	3	9
Type G/I	..	..	..	6"	..	14	3	6			
				8"	..	17	13	6			
				10"	..	22	18	9			
				12"	..	25	2	6			

CLOCKS, etc., DETAILED IN CATALOGUE E.I.50

Type		Single-faced	Double-faced with tubular suspension rod up to 30" long with ceiling plate
		£ s. d.	£ s. d.
Type G	6"	14 3 6	
	8"	17 13 6	
	10"	22 18 9	
	12"	25 2 6	
Type J: I .. .	6"	14 3 6	
	8"	17 13 6	
	10"	22 18 9	
	12"	25 2 6	
Type J .. .	6"	14 3 6	
	8"	17 13 6	
	10"	22 18 9	
	12"	25 2 6	
Type M or M/I .. .	8"	10 5 0	
(With Silvered dials) .. .	10"	11 12 6	
	12"	12 15 0	
	18"	17 4 6	
Type M or M/I .. .	8"	9 16 0	
(With white or cream dials) .. .	10"	10 3 0	
	12"	10 7 0	
	18"	15 17 0	

RELAYS

Of robust construction with variable resistances and condensers, housed in metal case with glazed front .. .	Each £ s. d.
	8 10 0

TRICKLE CHARGERS—A.C. OR D.C.

Type 1.	25 M/A output .. .	} 200-250 A.C. input	Each £ s. d.
	100 M/A output .. .		13 0 0
	250 M/A output .. .		14 6 0
	500 M/A output .. .		19 9 6
			29 14 0

Please state voltage and periodicity when ordering.

	Each s. d.	No Purchase Tax on these items when supplied for use on Synchronome Time Circuits.
S.N. Type Dry Cells .. .	10 6	
Type D.F.G., 2-volt, 45-a.h. Accumulator	14 0	

SYNCHRONOME PROGRAMME CONTROLLERS

With five-minute selectivity throughout 24 hours with mercury tube contact and automatic Week-end Silence device.

TYPE	Without duration reducer.			With duration reducer.		
	£	s.	d.	£	s.	d.
1 Circuit	44	6	0	50	12	6
2 „	49	18	6	56	5	0
3 „	55	11	0	61	17	6
4 „	61	17	6	67	10	0

ONE-MINUTE SELECTIVITY TYPE, single Programme.

£	s.	d.	£	s.	d.
65	16	3	69	15	0

Fixed Programme $\frac{1}{4}$ Hr. with Mercury Tube output and Week-end Silence device, single Programme.

£	s.	d.	£	s.	d.
30	7	6	36	14	0

MIS-PULSE WATCHMAN'S TELL TALE CLOCK with automatic alarm system

	£	s.	d.
15 station	175	0	0
25 station	195	0	0
Key Boxes each	2	5	0
Keys „	0	5	6
Selector Device	25	0	0

WITHOUT alarm mechanism

	£	s.	d.
15 station	90	0	0
25 station	100	0	0
Key Boxes each	2	5	0
Keys „	0	5	6

PORTABLE WATCHMAN TELL TALE CLOCK (non-Electric)

	£	s.	d.
Watchman's Clock, in Leather Case	25	15	0
Ink Impression Boxes with Engraving Keys each	1	8	9
One year's supply of Tapes and Ink	1	15	0

TURRET CLOCKS

TYPE TE

Cast iron dials with Roman numerals, backed with white opal glass, fitted with Synchronome patent detachable centre, and complete with Electrical Impulse movement and hands

or

Fabricated wrought iron dials, round or square with ciphers, backed with white opal glass fitted with Synchronome patent detachable centre and complete with Electrical Impulse movement and hands.

									£	s.	d.
2' 6" diameter	..	..	..	..	..	..	..	..	50	0	0
3' 0"	"	..	..	..	..	..	..	..	55	0	0
3' 6"	"	..	..	..	..	..	..	..	65	0	0
4' 0"	"	..	..	..	..	..	..	..	80	0	0
4' 6"	"	..	..	..	..	..	..	..	*100	10	0
5' 0"	"	..	..	..	..	..	..	..	*113	0	0
5' 6"	"	..	..	..	..	..	..	..	*121	0	0
6' 0"	"	..	..	..	..	..	..	..	*137	10	0
6' 6"	"	..	..	..	..	..	..	..	*156	0	0
7' 0"	"	..	..	..	..	..	..	..	*188	0	0
7' 6"	"	..	..	..	..	..	..	..	*229	0	0
8' 0"	"	..	..	..	..	..	..	..	*255	0	0
8' 6"	"	..	..	..	..	..	..	..	*286	10	0
9' 0"	"	..	..	..	..	..	..	..	*312	10	0

*Special prices on application when more than one dial is installed in one turret.

TYPE TC

Cast bronze ciphers with stalks for grouting into brickwork, complete with Synchronome Impulse movements and hands mounted on patent detachable centre.

									£	s.	d.
2' 6" diameter	..	..	..	..	..	..	..	..	37	10	0
3' 0"	"	..	..	..	..	..	..	..	42	10	0
3' 6"	"	..	..	..	..	..	..	..	47	10	0
4' 0"	"	..	..	..	..	..	..	..	57	10	0
4' 6"	"	..	..	..	..	..	..	..	*72	0	0
5' 0"	"	..	..	..	..	..	..	..	*80	10	0
5' 6"	"	..	..	..	..	..	..	..	*85	0	0
6' 0"	"	..	..	..	..	..	..	..	*97	10	0
6' 6"	"	..	..	..	..	..	..	..	*106	0	0
7' 0"	"	..	..	..	..	..	..	..	*115	0	0
7' 6"	"	..	..	..	..	..	..	..	*129	0	0
8' 0"	"	..	..	..	..	..	..	..	*143	10	0
8' 6"	"	..	..	..	..	..	..	..	*165	0	0
9' 0"	"	..	..	..	..	..	..	..	*179	10	0

*Special prices on application when more than one dial is installed in one turret.

Bracket Clock designs and quotations submitted on application

SYNCHRONOME NATIONAL TIME RECORDERS

Model No.						Synchronous			Electrical Impulse			Mechanical		
						£	s.	d.	£	s.	d.	£	s.	d.
A	..	..	..	..	..	53	0	0	57	10	0	50	0	0
206	..	..	..	..	..	62	0	0	66	10	0	59	0	0
A.1	..	..	..	..	..	55	0	0	59	10	0	52	0	0
325	..	..	..	..	..	64	0	0	68	10	0	61	0	0
100	..	..	..	..	..	54	0	0	58	10	0	51	0	0
200	..	..	..	..	..	63	0	0	67	10	0	60	0	0
10	..	..	..	..	..	50	0	0	54	10	0	47	0	0
102	..	..	..	..	..	59	0	0	63	10	0	56	0	0
12	..	..	..	..	..	52	0	0	56	10	0	49	0	0
246	..	..	..	..	..	61	0	0	65	10	0	58	0	0
502	..	..	..	..	..	68	0	0	72	10	0	65	0	0
550	..	..	..	..	..	77	0	0	81	10	0	74	0	0

CLIPIT Card Time Recorders	No. 1	53	0	0	57	10	0	50	0	0
"	No. 2	62	0	0	66	10	0	59	0	0
"	No. 3	63	0	0	67	10	0	60	0	0
"	No. 4	72	0	0	76	10	0	69	0	0
"	No. 5	65	0	0	69	10	0	62	0	0
"	No. 6	74	0	0	78	10	0	71	0	0
"	No. 7	84	0	0	88	10	0	81	0	0

JOB TIME RECORDERS	No. 1 ..	49	0	0	53	10	0	46	0	0
"	No. 2 ..	55	0	0	59	10	0	52	0	0

*PORTABLE JOB COSTERS	No. 1A	39	0	0	42	10	0	37	0	0
"	No. 2A	44	0	0	47	10	0	42	0	0

*Either of the above fitted in metal case £6 0s. 0d. extra.

TIME STAMPS	No. 1 ..	32	0	0	35	10	0	30	0	0
"	No. 2 ..	35	0	0	38	10	0	33	0	0
"	No. 3 ..	37	0	0	40	10	0	35	0	0

AUTOGRAPH RECORDERS	No. 1	51	0	0	55	10	0	48	0	0
"	No. 2	47	0	0	51	10	0	44	0	0

AUTOGRAPH PORTABLE	No. 1	32	0	0	35	10	0	30	0	0
"	No. 2	35	0	0	38	10	0	33	0	0

Time Recorders can be supplied in metal cases at £5 0s. 0d. extra
if fitted with synchronous or impulse movements.

CARD RACKS 2½" × 7" Cards					£	s.	d.
25 size	..	..	..	..	2	2	0
50	..	..	..	..	3	10	0
100	..	..	..	..	4	0	0

CARD RACKS 3¼" × 7" or 3¼" × 8¼"							
25 size	..	..	..	..	2	15	0
50	..	..	..	..	3	15	0
100	..	..	..	..	4	17	6

Racks supplied without Recorders 10% extra.

SYNCHRONOME - MAINPULSE SYNCHRONOUS WALL DIALS

All wall clocks illustrated in Catalogue EI.50 can be supplied with Synchronous movements suitable for operation on 200-250 volt 50 cycle supply at the following prices :—

								£	s.	d.
Type E.A.	..	..	..	..	6"	..	..	4	4	0
					9"	..	..	4	12	6
					12"	..	..	5	7	6
Type E.R.	..	..	..	..	6"	..	..	4	4	0
					9"	..	..	4	12	6
					12"	..	..	5	7	6
Type F	..	..	..	..	8"	..	..	4	8	6
Type D.A. & D.R.	..	..	..	..	6"	..	..	4	4	0
					8"	..	..	4	8	6
					10"	..	..	5	2	6
					12"	..	..	5	7	6
					18"	..	..	9	7	6
					24"	..	..	17	12	6
Type D.M.	..	..	..	..	6"	..	..	4	4	0
					8"	..	..	4	8	6
					10"	..	..	5	2	6
					12"	..	..	5	7	6
					18"	..	..	9	7	6
					24"	..	..	17	12	6
Type A/I	..	..	..	..	6"	..	..	7	9	6
					8"	..	..	8	0	0
					10"	..	..	9	7	6
					12"	..	..	10	10	0
					18"	..	..	18	6	6
					24"	..	..	27	0	0
Type B.B.C.	..	..	..	..	8"	..	..	8	0	0
					10"	..	..	9	7	6
					12"	..	..	10	10	0
					18"	..	..	18	6	6

ALL OTHER DESIGNS AND TYPES AT PRICES
SHOWN FOR IMPULSE CLOCKS IN CATALOGUE
EI.50 PRICE LIST.

PRICES FOR SYNCHRONOUS TURRET CLOCKS ON
APPLICATION.

PROGRAMME CONTROLLERS CAN BE SUPPLIED FOR
SYNCHRONOUS OPERATION FROM 50 CYCLE A.C.
TIME CONTROLLED MAINS AT PRICES QUOTED IN
CATALOGUE EI.50.